Exhibit B



Deposition of: **Derek Muehrcke**, **M.D.**

July 24, 2017

In the Matter of:

In Re: Bard IVC Filters Products
Liability

Veritext Legal Solutions

1075 Peachtree St. NE , Suite 3625 Atlanta, GA, 30309 800.808.4958 | calendar-atl@veritext.com | 770.343.9696 In Re: Bard IVC Filters Products Liability

| in Re. Bard IV C I fitters I found to Elabority | |
|---|--|
| Page 26 | Page . |
| 1 litigation? | 1 Q How many Denali filters do you believe you |
| 2 A I I got I I've had complications with | 2 implanted before you quit using them? |
| 3 the other renditions. I don't know if I've had | 3 A Oh, I bet you I put in well, I mean, you can |
| 4 specifically a Denali, but I have had complications and | 4 look it up. I bet you I put in a couple hundred at |
| 5 I have learned a lot more about the BARD filters. And | 5 least. |
| 6 I've spoken to our interventional radiologists who have | 6 Q Did you implant the Meridian filter in |
| 7 told me that they think that the conical filters have a | 7 patients? |
| 8 design flaw, and the BARD has has more complications | 8 A Yes, sir. |
| 9 than most. I have had specific complications in my | 9 Q And do you recall any specific instances of |
| 10 patients where I've had filters perforate, things like | 10 complications with the Meridian filter? |
| 11 that. | 11 A II |
| 12 I'm bound by a gag order what I can disclose to | 12 MR. O'CONNOR: Object to form. |
| 13 my patients. I've not given them any information, but I | 13 A I I I have had problems. Looking back at |
| 14 have brought them in and talked to them, tried to do the | 14 my patients as they have cycled through my office, I've |
| 15 best thing for them based on what I think is the most | 15 had problems with all the BARD filters. I cannot |
| 16 appropriate way to try to get those filters out, if | 16 remember a specific Meridian, because I'm not looking. |
| 17 possible. I'll send them on to people who can do a lot | 17 I I cannot remember specific patient names, |
| 18 better job than I can with advanced techniques. | 18 but I have seen complications of Meridian filters, yes. |
| MR. NORTH: Move to strike as nonresponsive. | 19 Q What sort of complications have you seen |
| 20 Q My question was this: You do not recall | 20 specifically with the Meridian? |
| 21 specific complications involving the Denali filter, not | 21 A Tilting and fracturing. |
| 22 other BARD filters, the Denali filter? | 22 Q In your practice have you ever had a fracture |
| 23 A I cannot remember specific complications in the | 23 of a BARD filter that necessitated open surgery? |
| 24 Denali filter. | 24 A I don't believe I've had one that's required |
| 25 Q So you did not quit using BARD filters because | 25 open surgery. I've taken out Greenfield filters from |
| Page 27 | Page |
| 1 of complications with the Denali; correct? | 1 the right atrium, but not not a BARD. |
| MR. O'CONNOR: Form. | 2 Q Can you estimate for me how many instances of |
| | 2 C / '/1 DADD C1/ ' ' |

3 fracture with a BARD filter you've seen in your practice

4 over the years?

5 MR. O'CONNOR: Form and foundation.

6 A I don't know. It would be a guess.

7 Q Were the majority of those instances

8 symptomatic or asymptomatic?

9 A You know, they've --

10 MR. O'CONNOR: Form.

11 A Probably the majority of them were

12 asymptomatic, but several were symptomatic, especially

13 with pelvic pain.

14 Q Did you read the rough draft of Dr. Hurst's

15 deposition that was taken on Friday?

16 A No. I've read his reports.

17 Q So you are still implanting filters of some

18 sort today?

19 A I am. My usage of filters has decreased

20 significantly.

21 (Dave DeGreeff joined by conference call.)

22 Q Doctor, so there are still a class of patients

23 where you believe that filters provide therapeutic

24 benefit to them?

25 A Yes, there are.

A That's not correct. I can give you an analogy.

I stopped using BARD filters because I have

5 concerns about what the Denali is going to show. For

6 instance, let me give you an example, and please bear

7 with me.

8 There's a new valve that came out called the

9 mitral flow valve, and the mitral flow valve is a

10 prosthetic valve. We're finding out 7, 8 years later

11 that that valve structure deteriorates quickly.

12 It takes time for these -- to develop a track

13 record. And I'm not giving the new mitral flow valve an

14 option. I can't waste 7 more years putting these things

15 in and taking them out.

So I'm not going to trust the new BARD filter.

17 I've lost my trust in the filter. I felt that the other

18 filters, which BARD had out there, of similar design,

19 minor modifications, the Denali may be a better filter,

20 but it's got to -- it's almost got to prove that

21 themselves. I'm not going to put them in.

So predicated on the other BARD filters I'm not

23 going to -- I'm not going to start putting those things

24 in a bunch of patients. I can put a lot of them in, and

25 I've got to deal with them.

8 (Pages 26 - 29)

28

29